


### AMENDMENTS TO THE CLAIMS

**1. (Currently amended)** An organic EL device comprising an organic layer of a single-layer sandwiched between a pair of electrodes, the organic layer containing an organic EL dye formed by linking a light-emitting group Y represented by the formula:  $(Y-L)_nX_m$  to a charge-transporting group X,

wherein:

X represents a charge-transporting group, which is a hole-transporting group consisting of a ~~1,9-bismethylantracene~~ 9,10-bis(chloromethyl)anthracene group,

Y represents a light-emitting group consisting of oxadiazolopyridine derivatives represented by the following formula:



wherein R<sub>1</sub> and R<sub>2</sub> are independent from each other and represent an aromatic hydrocarbon group optionally having a substituent,


L is a linking group bonding the charge-transporting group and the light-emitting group, and L is represented by the formula A<sub>1</sub>-R<sub>1</sub>-A<sub>2</sub>, wherein A<sub>1</sub> is a first bonding group to be bonded to the charge-transporting group and consists of an oxygen atom, A<sub>2</sub> is a second bonding group to be bonded to the light-emitting group and consists of an amide group, and R<sub>1</sub> is a spacer group linking the first bonding group with the second bonding group and consists of an alkylene group, and m and n are each an integer not less than 1.

**2-9. (Cancelled)**

**10. (Previously presented)** An organic EL device comprising an organic layer of a single-layer sandwiched between a pair of electrodes, the organic layer containing an organic EL dye formed by linking a light-emitting group Y represented by the formula:  $(Y-L)_nX_m$  to a charge-transporting group X,

wherein X represents a charge-transporting group, which is an electron-transporting group consisting of a naphthalenediimide group or a phenyldiimide group,

Y represents a light-emitting group consisting of oxadiazolopyridine derivatives represented by the following formula:



wherein  $R_1$  and  $R_2$  are independent from each other and represent an aromatic hydrocarbon group optionally having a substituent, and

L is a linking group bonding the charge-transporting group and the light-emitting group, and L is represented by the formula  $A_1-R_1-A_2$ , wherein  $A_1$  is a first bonding group to be bonded to the charge-transporting group and consists of an N-propylpiperazine group,  $A_2$  is a second bonding group to be bonded to the light-emitting group and consists of an amide group, and  $R_1$  is a spacer group linking the first bonding group with the second bonding group and consists of an alkylene group, and m and n are each an integer not less than 1.